


BUILDING D



Blue line indicates
extent of storefront glass.

11810 Barlow Trail NE
Total Building Area: 176,796 sq. ft.

BUILDING D



FEATURES

- 26,000 sq. ft. minimum tenant size
- 13,000 sq. ft. bay sizes
- 32 ft. clear height
- 55 ft. x 60 ft. marshalling bay
- 72 trailer storage stalls with dolly pad
- ESFR sprinkler system
- 12,500 lb. racking point load
- LED motion sensor lighting
- Multi drive-door capability
- 49 dock doors with levellers
- 40,000 lb. pneumatic dock levellers
- Industrial - General (I-G) Zoning

- Site**
- 55 ft. concrete dock loading aprons
 - 10 ft. concrete-grade door aprons
 - 152 parking stalls available

- Slab, Walls and Roof**
- 260 ft. building depth
 - 40 ft. x 55 ft. standard grid
 - 60 ft. deep marshalling bays
 - 50 in. dock height
 - 7 in. reinforced concrete slab on grade
 - Ashford Formula concrete sealer
 - Sanitary sewer lines along front of building and rear bay
 - No cross-bracing below 10 ft. in warehouse interior
 - Embossed, non-combustible, metal composite walls panels
 - Ballasted EPDM membrane roofing
 - 40,000 lb., 7 ft. x 8 ft. pneumatic dock levellers
 - Floor designed for an allowable rack load per leg of 12,500 lbs.

- Electrical**
- 2000 amp, 347/600 Volt 3 Phase 4 wire
 - LED lighting with an average of 30 fc of lighting
 - Lights controlled by motion sensors

- Mechanical**
- Gas-fired unit heaters
 - Programmable thermostats with humidity sensing capability zoned effectively for comfort
 - Full ESFR sprinkler system for racking to 28 ft.
 - Heat Recovery Ventilators (HRVs)

- Windows and Doors**
- Two-storey curtain wall glazing at office locations
 - 5 ft. x 5 ft. punched rear windows (one per bay)
 - 5 in. x 22 in. view lites on overhead doors
 - All glazing with Low - E coating
 - 12 ft. x 14 ft. grad doors with electric operators
 - 9 ft. x 10 ft. manual, vertical lift, overhead dock doors complete with truck seals and bumpers

- Additional LEED® Considerations**
- Recycle and garbage enclosures
 - Regional materials selected to meet LEED® certification criteria
 - Recycled content to meet LEED® certification criteria
 - Cistern system to capture rainwater for toilet flushing
 - Water efficient landscaping
 - Upgraded roof insulation
 - Low VOC emitting materials
 - LEED® Silver targeted design
 - Electric car charging stations

